



muva kempten • PO Box 32 54 • 87441 Kempten (Allgäu)

Institut for Food Technology (FINS)
Bulevar cara Lazara 1
21000 Novi Sad
SERBIEN

Date: 04.03.2013
Client-No.: 1540052
Your reference:
Reference date:
Contact: +49 (0)831 5290 0
E-Mail: auftragsbearbeitung@muva.de

Test report

Order code: 169277

muva-Test report-No. 1067512

Page 1 of 9

Sample code: 668742
Designation of sample: Nr. 991
Duration of testing: 28.02.2013 to 04.03.2013

Sample received on: 26.02.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,21	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668743
Designation of sample: Nr. 995
Duration of testing: 28.02.2013 to 04.03.2013

Sample received on: 26.02.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,100	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,19	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB



Deutsche
Akreditierungsstelle
D-PL-14429-01-00

Anerkanntes Prüflaboratorium
Kenn-Nr.
AKS 20905
http://www.aks-hannover.de

Test report

muva-Test report-No. 1067512

Order code: 169277

Page 2 of 9

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: **668744**
Designation of sample: **Nr. 998**
Duration of testing: 28.02.2013 to 04.03.2013

Sample received on: 26.02.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,30	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: **668745**
Designation of sample: **Nr. 1010**
Duration of testing: 28.02.2013 to 04.03.2013

Sample received on: 26.02.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,27	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.



Test report

Order code: 169277

muva-Test report-No. 1067512

Page 3 of 9

Sample code: **668746**

Sample received on: 26.02.2013

Designation of sample: **Nr. 1011**

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,33	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: **668747**

Sample received on: 26.02.2013

Designation of sample: **Nr. 1014**

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,26	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: **668748**

Sample received on: 26.02.2013

Designation of sample: **Nr. 1015**

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis



Anerkanntes Prüflaboratorium
AKS Kenn-Nr. 20905
 http://www.aks-hannover.de



Test report

Order code: 169277

muva-Test report-No. 1067512

Page 4 of 9

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,34	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668749

Sample received on: 26.02.2013

Designation of sample: Nr. 1017

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,100	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,29	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668750

Sample received on: 26.02.2013

Designation of sample: Nr. 1018

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,41	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB



Anerkanntes Prüflaboratorium
AKS Kenn-Nr. 20905
 http://www.aks-hannover.de

Test report

Order code: 169277

muva-Test report-No. 1067512

Page 5 of 9

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668751

Sample received on: 26.02.2013

Designation of sample: Nr. 1020

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,120	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,36	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668752

Sample received on: 26.02.2013

Designation of sample: Nr. 1021

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,120	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,36	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.



Order code: 169277

Page 6 of 9

Test report

muva-Test report-No. 1067512

Sample received on: 26.02.2013

Sample code: **668753**

Designation of sample: **Nr. 1022**

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,20	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample received on: 26.02.2013

Sample code: **668754**

Designation of sample: **Nr. 1023**

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,120	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,23	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample received on: 26.02.2013

Sample code: **668755**

Designation of sample: **Nr. 1026**

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis



Test report

muva-Test report-No. 1067512

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,40	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668756

Sample received on: 26.02.2013

Designation of sample: Nr. 1027

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,32	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668757

Sample received on: 26.02.2013

Designation of sample: Nr. 1029

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,58	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB



Test report

muva-Test report-No. 1067512

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668758

Sample received on: 26.02.2013

Designation of sample: Nr. 1030

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,120	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	1,20	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668759

Sample received on: 26.02.2013

Designation of sample: Nr. 1031

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,87	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.



Order code: 169277

Page 9 of 9

Test report

muva-Test report-No. 1067512

Sample received on: 26.02.2013

Sample code: 668760

Designation of sample: Nr. 1039

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,36	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Sample code: 668761

Sample received on: 26.02.2013

Designation of sample: Nr. 1044

Duration of testing: 28.02.2013 to 04.03.2013

Chemical analysis

Analysis	Result	Unit	Method
Aflatoxin M1	0,110	µg/kg	MUVA-MET002 according to L01.00-34 (ELISA), §64 LFGB
Aflatoxin M1	0,53	µg/kg	MUVA-MET050 HPLC acc. to L23.05-2 + L01.00-76, §64 LFGB

Annotation/Evaluation:

The analysed sample exceeds the maximum level of 0,05 µg/kg for Aflatoxin M1 in milk as laid down in regulation (EC) 1881/2006.

Dr. Fred Braun

Dr. rer. nat. Fred Braun

Head of department of chemistry

The test results relate only to the item tested.

This test report shall not be reproduced except in full without the written approval of the muva kempten (Allgäu).