

Products Presentation

- Production and trading enterprise – BLIKPRODUKT LTD



BF 475®

Coex thermoforming film



Products Introduction

Structure – BF 475®

PE – inner sealing layer

Tie Layer

Poliamid – Barrier Layer

Tie Layer

PP – outter layer – Barrier/forming Layer

Type/Application

- Thickness range - From 120 to 190 micrones
- 120mic – forming draw – 3 cm
- 150mic – forming draw – 5 cm
- 170mic – forming draw – 7 cm
- 190mic – forming draw – 9 cm
- 120+120mic–deep draw – 10+ cm
- Fresh&processed meat
- Cheese and Dairy
- Sliced Products
- Vegetables
- Used on fast packaging machines : Multivac;Tiromat;Ulma etc.



BF 4741®

Coex top web film



Products Introduction

Structure – BF 4741®

PE – inner sealing layer

Tie Layer

Poliamid – Barrier Layer

Tie Layer

PE

Tie Layer

PET – outer Layer – Barrier/Print

Types/Application

- Thickness range from 62 to 82 micrones
- Top web film
- Lidding film on premade trays
- Medium barrier Flowpack film
- Print – 8 colours Flexo
- Fresh&Processed meat
- Cheese and Dairy
- Fish and seafood
- Sliced Products
- M.A. Packaging



BF 4641®

Coex high barrier film



Products Introduction

Structure BF 4641®

PE – inner sealing layer

Tie Layer

Etil Vinyl Alcohol (EVOH) – Barrier Layer

Tie Layer

PE

Tie Layer

PET – outter Layer – Barrier/Print

Types/Applications

- Thickness range from 62 to 82 micrones
- Top web film
- Lidding film on premade trays
- High barrier Flowpack film
- Print – 8 colours Flexo
- Fresh&Processed meat
- Cheese and Dairy
- Fish and seafood
- Sliced Products
- M.A. Packaging



BV 475®

Coex vacuum pouches



Products Introduction

Structure – BV 475®

PE – inner sealing layer

Tie Layer

Poliamid – Barrier Layer

Tie Layer

PP – outer layer – Barrier

Types/Applications

- Thickness range from 60 to 190 micrones
- Two side seal
- Three side seal
- Transparent/coloured
- Fresh&Processed meat
- Cheese and Dairy
- Fish and seafood
- Sliced Products
- Grain&Powder
- Fruit&Vegetables



BF 41®



Products Introduction


Structure BF 41 - BF 55

PE – Sealing Layer

PET – outer Layer - Print

Types/Application

- Thickness range from 42 to 62 microns
- Flowpack on HFFS&VFFS
- Low&Medium Barrier
- Frozen products
- Fish&Seafood
- Grain&Powder
- Pasta



BV 4741 & BV 4641® Coex vacuum pouches



Products Introduction

Types/Application

- Thickness range from 62 to 82 micrones
- Two side and three side seal
- Medium or high barrier
- **Printed** – 8 colours Flexo
- Fresh&Processed meat
- Cheese and Dairy
- Fish and seafood
- Sliced Products
- Grain&Powder
- Fruit&Vegetables



Thank You !

Mr Nikola Knežević

- Sales Manager
- nknezevic@blikprodukt.rs
- +381 62 68 24 00
- www.blikprodukt.rs

